



PRODUCT CATALOG 2023

ALUMINUM LADDERS
ATTIC LADDERS

www.stairlux.com

Version 2023/A
Valid from 19.04.2023



TABLE OF CONTENT

ATTIC LADDERS **3 - 9**

S-GLOB	3
UNI	4
COMP	5
GLOB	6
L-ALLE	7
L-COMP	8
ALU	9

PROFESSIONAL LADDERS **10 - 13**

FLEXI PRO	10
ULTRA PRO	11
LINE PRO	12
ASTRA	13

HOUSEHOLD LADDERS **14 - 21**

POLSTEP	14
PROSTEP	15
SAFESTEP	16
PELOSTEP	17
CAROSTEP	18
KITCHEN	19
PICAPAINT	20
ANI	21

SCAFFOLD LADDERS **22 - 23**

VIKI	22
LEO PRO	23

ACCESSORIES **24 - 25**

S-GLOB WOODEN ATTIC LADDER

TECHNICAL SPECIFICATION

Insulated hatch thickness	1.42"
Thickness of thermal insulation	1.18"
Hatch color from both sides	White
Wooden ladder	3 section
Height of wooden box	5.31"
Width of ladder	15.7"
Width of step	14.1"
Depth of step	3.15"
Landing space	52.8/57.1"
Opening distance/angle	63/65.3"
Maximum ceiling height	110.2"

IN STOCK SIZES

54" x 22.5"



COMPLIANCE WITH
THE STANDARD



R value



Maximum
load



Seal

The GLOB attic ladders are characterized by single sealing and hatch thickness of 1.42". The GLOB model is perfect for houses where the attic is insulated and no additional thermal insulation is required. This model also has anti-skidding steps. They perfectly adhere to the ground, prevent scratching of the floor, creating an aesthetic finish at the end of the ladder. For increased safety and convenience of use, GLOB attic ladders are equipped with a stable and durable handrail. To ensure even greater comfort of use, the handrail can be installed on the left or right side - depending on the customer's preferences.

UNI

WOODEN-METAL ATTIC LADDER



R value



Maximum load



Seal



COMPLIANCE WITH THE STANDARD



TECHNICAL SPECIFICATION

Insulated hatch thickness	1.02"
Thickness of thermal insulation	0.79"
Hatch color from both sides	White
Metal - wooden ladder	4 section
Height of wooden box	5.31"
Width of ladder	14.4"
Width of step	12.8"
Depth of step	3.15"
Landing space	39.8/53.1"
Opening distance/angle	45.3/49.6"
Maximum ceiling height	102.4/104.3"

IN STOCK SIZES

31.5" x 23.5"	35.5" x 23.5"	39" x 23.5"
31.5" x 27.5"	35.5" x 27.5"	39" x 27.5"
31.5" x 31.5"	35.5" x 31.5"	

The UNI attic ladders are characterized by single sealing and hatch thickness of 1.02". The UNI model is perfect for houses where the attic is insulated and no additional thermal insulation is required. Thanks to its small dimensions, the UNI model is perfect for installation in narrow and small corridors. The small size of the stairs was achieved thanks to the use of a unique 4-section metal-wooden ladder.

This model also has non-slip steps. They perfectly adhere to the ground, prevent scratching of the floor creating an aesthetic finish at the end of the ladder. The excellent quality of materials used for the production of attic ladders and attention to every detail guarantees the satisfaction of even the most demanding customers.

COMP METAL SCISSOR ATTIC LADDER

TECHNICAL SPECIFICATION


Insulated hatch thickness	1.02"
Thickness of thermal insulation	0.79"
Hatch color from both sides	White
Metal scissor ladder	10 steps
Height of wooden box	5.31"
Width of ladder	15.3"
Width of step	13.6"
Depth of step	3.15"
Landing space	76.8-82.7"
Opening distance/angle	86.6-96.6"
Maximum ceiling height	114.2"

IN STOCK SIZES

27.5" x 23.5"	31.5" x 23.5"	35.5" x 23.5"
27.5" x 27.5"	31.5" x 27.5"	35.5" x 27.5"
	39" x 27.5"	

SPECIAL ORDER SIZES

43" x 23.5"	47" x 23.5"	51" x 23.5"
43" x 27.5"	47" x 27.5"	51" x 27.5"
	39" x 23.5"	



R value



Maximum load



Seal

The COMP attic ladders are characterized by single sealing and hatch thickness of 1.02". The COMP model is perfect for houses where the attic is insulated and no additional thermal insulation is required. Thanks to the solid extendable „scissor“ ladder the COMP model is perfect for installation in rooms up to 9'5" height. The excellent quality of materials used for the production of attic ladders and attention to every detail guarantees the satisfaction of even the most demanding customers.

GLOB WOODEN ATTIC LADDER



R value



Maximum load



Seal



COMPLIANCE WITH THE STANDARD



TECHNICAL SPECIFICATION

Insulated hatch thickness	1.42"
Thickness of thermal insulation	1.18"
Hatch color from both sides	White
Wooden ladder	3 section
Height of wooden box	5.31"
Width of ladder	15.7"
Width of step	14.1"
Depth of step	3.15"
Landing space	52.8/57.1"
Opening distance/angle	63/65.3"
Maximum ceiling height	110.2"

IN STOCK SIZES

43" x 21.5"

47" x 23.5"

SPECIAL ORDER SIZES

47" x 21.5"

51" x 21.5"

55" x 21.5"

43" x 23.5"

51" x 23.5"

55" x 23.5"

43" x 27.5"

51" x 27.5"

55" x 27.5"

47" x 27.5"

The GLOB attic ladders are characterized by single sealing and hatch thickness of 1.42". The GLOB model is perfect for houses where the attic is insulated and no additional thermal insulation is required. This model also has anti-skidding steps. They perfectly adhere to the ground, prevent scratching of the floor, creating an aesthetic finish at the end of the ladder. For increased safety and convenience of use, GLOB attic ladders are equipped with a stable and durable handrail. To ensure even greater comfort of use, the handrail can be installed on the left or right side - depending on the customer's preferences.

L-ALLE

LONG WOODEN ATTIC LADDER

TECHNICAL SPECIFICATION


Insulated hatch thickness	1.02"
Thickness of thermal insulation	0.79"
Hatch color from both sides	White
Wooden ladder	4 section
Height of wooden box	5.31"
Width of ladder	15.7"
Width of step	14.1"
Depth of step	3.15"
Landing space	67.7"
Opening distance/angle	66.1"
Maximum ceiling height	129.9"

IN STOCK SIZES

47" x 21.5"

SPECIAL ORDER SIZES

47" x 23.5"	51" x 21.5"	55" x 21.5"
47" x 27.5"	51" x 23.5"	55" x 23.5"
	51" x 27.5"	55" x 27.5"



R value



Maximum load



Seal

The L-ALLE attic ladders are characterized by single sealing and hatch thickness of 1.02". The L-ALLE model is ideal for an environment where the attic is insulated and does not require additional thermal insulation. This model also has non-slip steps. They perfectly adhere to the ground, prevent scratching of the floor creating an aesthetic finish at the end of the ladder. For increased safety and convenience of use, L-ALLE attic ladders are equipped with a stable and durable handrail. To ensure even greater comfort of use, the handrail can be installed on the left or right side - depending on the customer's preferences. The excellent quality of materials used for the production of attic ladders and attention to every detail guarantees the satisfaction of even the most demanding customers.

L-COMP

LONG METAL SCISSOR ATTIC LADDER




R value



Maximum load



Seal



COMPLIANCE WITH THE STANDARD



TECHNICAL SPECIFICATION

Insulated hatch thickness	1.02"
Thickness of thermal insulation	0.79"
Hatch color from both sides	White
Metal scissor ladder	11 steps
Height of wooden box	5.31"
Width of ladder	15.3"
Width of step	13.6"
Depth of step	3.15"
Landing space	80.71/86.61"
Opening distance/angle	96.46/104.3"
Maximum ceiling height	122"

IN STOCK SIZES

51" x 27.5"

SPECIAL ORDER SIZES

31.5" x 23.5"	39" x 23.5"	47" x 23.5"
31.5" x 27.5"	39" x 27.5"	47" x 27.5"
35.5" x 23.5"	43" x 23.5"	51" x 23.5"
35.5" x 27.5"	43" x 27.5"	

The L-COMP attic ladders are characterized by single sealing and hatch thickness of 1.02". The L-COMP model is perfect for houses where the attic is insulated and no additional thermal insulation is required. Thanks to the solid extendable „scissor“ ladder the L-COMP model is perfect for installation in rooms up to 10' height. The excellent quality of materials used for the production of attic ladders and attention to every detail guarantees the satisfaction of even the most demanding customers.

ALU ALUMINUM ATTIC LADDER

TECHNICAL SPECIFICATION

Insulated hatch thickness	1.81"
Thickness of thermal insulation	1.57"
Hatch color from both sides	White
Aluminum ladder	3 sections
Height of wooden box	6.69"
Width of ladder	15.75"
Width of step	13.78"
Depth of step	3.15"
Landing space	50.4/55.9"
Opening distance/angle	63.4/65"
Maximum ceiling height	110.2"

IN STOCK SIZES

47" x 23.5"

SPECIAL ORDER SIZES

43" x 21.5"	51" x 21.5"	55" x 21.5"
43" x 23.5"	51" x 23.5"	55" x 23.5"
43" x 27.5"	51" x 27.5"	55" x 27.5"
47" x 21.5"		
47" x 27.5"		



R value



Maximum load



Seal

The ALU attic ladders are characterized by single sealing and hatch thickness of 1.81". The ALU model is perfect for houses where the attic is not insulated and additional thermal insulation is required. One of the most distinctive features of ALU attic ladder is a light and very durable ladder made of high-quality aluminum. This model also has anti-skidding steps. They perfectly adhere to the ground, prevent scratching of the floor creating an aesthetic finish at the end of the ladder.



FLEXI PRO


PROFESSIONAL COMBINATION LADDER



COMMERCIAL GRADE ALUMINUM LADDER

- ◆ **Professional three-section combination ladder** is a tool that specialist are looking for.
- ◆ All ladders are equipped with a **stabilizer** to help you keep balance.
- ◆ Steps with a **1.1x1.1** in profile have **slip-resistant surface**.
- ◆ Every side rail is ended with a plastic bumpers to prevent damage and make ladder easy to set up.
- ◆ Combination ladders have automatic locks and robust hooks.
- ◆ PRO series ladder - Load capacity **330 pounds**. Heavy duty **Type IA**.
- ◆ **1 Year** manufacturer warranty.

AVAILABLE COMBINATIONS



AVAILABLE MODELS

Model	3X6	3x7	3x9	3x10	3x12	3x13	3x14	3x15	3x16
Length	11'3"	13'5"	16'	17'8"	23'9"	25'5"	28'11"	31'6"	33'
Reach*	14'6"	16'6"	19'1"	20'8"	26'6"	28'2"	31'6"	34'1"	35'6"
Weight	20 lbs	23 lbs	29 lbs	34 lbs	51 lbs	55 lbs	62 lbs	71 lbs	75 lbs

ULTRA PRO PROFESSIONAL COMBINATION LADDER

COMMERCIAL GRADE ALUMINUM LADDER

- ◆ **Professional two-section combination ladder** is a tool that specialist are looking for.
- ◆ All ladders are equipped with a **stabilizer** to help you keep balance.
- ◆ Steps with a **1.1x1.1** in profile have **slip-resistant surface**.
- ◆ Every side rail is ended with a plastic bumpers to prevent damage and make ladder easy to set up.
- ◆ Combination ladders have automatic locks and robust hooks.
- ◆ PRO series ladder - Load capacity **330 pounds**. Heavy duty **Type IA**.
- ◆ **1 Year** manufacturer warranty.

AVAILABLE COMBINATIONS



AVAILABLE MODELS

Model	2X7	2X9	2X10	2X13
Length	9'10"	12'5"	14'2"	18'6"
Reach*	13'11"	16'5"	18'1"	21'5"
Weight	16 lbs	20 lbs	23lbs	34 lbs

* Reach height assumes 5'6" person with 10" vertical reach

** All dimensions are rounded down to full inches, and can minimally differ.

LINE PRO

PROFESSIONAL SINGLE LADDER



COMMERCIAL GRADE ALUMINUM LADDER

- ◆ **Professional leaning straight ladder** is a tool that specialist are looking for.
- ◆ All ladders are equipped with a **stabilizer** to help you keep balance.
- ◆ Steps with a **1.1x1.1** in profile have **slip-resistant surface**.
- ◆ Every side rail is ended with a plastic bumpers to prevent damage and make ladder easy to set up.
- ◆ PRO series ladder - Load capacity **330 pounds**. Heavy duty **Type IA**.
- ◆ **1 Year** manufacturer warranty.

AVAILABLE MODELS


Model	1X5	1X6	1X7	1X9	1X10	1X11	1X12	1X14	1X15	1X16	1X17	1X18
Length	4'6"	5'4"	6'3"	8'	8'10"	9'9"	10'7"	12'4"	13'3"	14'2"	15'	15'10"
Reach	7'11"	8'9"	9'9"	11'4"	12'2"	13'	13'10"	15'7"	16'4"	17'3"	18'1"	18'11"
Weight	5 lbs	6 lbs	7 lbs	8.5 lbs	9 lbs	11 lbs	14 lbs	20 lbs	21 lbs	23 lbs	24lbs	25 lbs

ASTRA PROFESSIONAL ARTICULATED LADDER

COMMERCIAL GRADE ALUMINUM LADDER

- ◆ **Professional four-section articulated ladder** is a tool that specialist are looking for.
- ◆ All ladders are equipped with a **stabilizer** on both ends to help you keep balance.
- ◆ Steps with a **1.1x1.1** in profile have **slip-resistant surface**.
- ◆ Model PRO is supplied with special platform.
- ◆ PRO series ladder - Load capacity **330 pounds**. Heavy duty **Type IA**.
- ◆ **1 Year** manufacturer warranty.

AVAILABLE COMBINATIONS***



AVAILABLE MODELS

Model	PRO	BASIC
Length	11'3"	11'3"
Reach	14'2"	14'2"
Weight	34 lbs	26 lbs

POLSTEP

HOUSEHOLD PLATFORM LADDER



RESIDENTIAL GRADE ALUMINUM LADDER

- ◆ Intended for **household** use. Best tool to house works.
- ◆ Special **2' rail** to ensure comfort and safety of use.
- ◆ Wide **10"x10"** platform to provide stability of standing.
- ◆ Wide steps with **anti-slip surface** and plastic covers.
- ◆ BASIC series ladder - Load capacity **275 pounds**. Heavy duty **Type I**.
- ◆ **Additional straps** to prevent spreading in models 6, 7, 8.
- ◆ **1 Year** manufacturer warranty.

AVAILABLE MODELS

Model	3	4	5	6	7	8
Length	3'11"	4'9"	5'6"	6'3"	7'	7'9"
Reach	8'3	9'	9'8"	10'5"	11'1"	11'10"
Weight	6 lbs	7 lbs	8 lbs	10 lbs	11 lbs	13 lbs

PROSTEP

HOUSEHOLD PLATFORM LADDER

RESIDENTIAL GRADE ALUMINUM LADDER

- ◆ Intended for **household** use. Best tool to house works.
- ◆ Special **2' rail** to ensure comfort and safety of use.
- ◆ Wide **10"x10"** platform to provide stability of standing.
- ◆ Wide steps with **anti-slip surface** and with plastic covers.
- ◆ PRO series ladder - Load capacity **330 pounds**. Heavy duty **Type IA**.
- ◆ **Additional straps** to prevent spreading in models 6, 7, 8.
- ◆ **1 Year** manufacturer warranty.



AVAILABLE MODELS

Model	3	4	5	6	7	8
Length	3'11"	4'9"	5'6"	6'3"	7'	7'9"
Reach	8'3	9'	9'8"	10'5"	11'1"	11'10"
Weight	7 lbs	8 lbs	10 lbs	12 lbs	13 lbs	15 lbs

SAFESTEP HOUSEHOLD PLATFORM LADDER



RESIDENTIAL GRADE ALUMINUM LADDER

- ◆ Intended for **household** use. Best tool to house works.
- ◆ Ergonomic **handrails** for help to climb up on ladder.
- ◆ Special **2' rail** to ensure comfort and safety of use.
- ◆ Plastic **tool tray** for tools and small materials.
- ◆ Wide **10"x10"** platform to provide stability of standing.
- ◆ Wide steps with **anti-slip surface** and with plastic covers.
- ◆ PRO series ladder - Load capacity **330 pounds**. Heavy duty **Type IA**.
- ◆ **Additional straps** to prevent spreading in models 6, 7, 8.
- ◆ **1 Year** manufacturer warranty.

AVAILABLE MODELS

Model	4	5	6	7	8
Length	4'9"	5'6"	6'3"	7'	7'9"
Reach	9'	9'8"	10'5"	11'1"	11'10"
Weight	10 lbs	12 lbs	13 lbs	15 lbs	17 lbs

PELOSTEP

HOUSEHOLD PLATFORM LADDER

RESIDENTIAL GRADE ALUMINUM LADDER

- ◆ Intended for **household** use. Best tool to house works.
- ◆ Wide **10"x10"** platform to provide stability of standing.
- ◆ Plastic **tool tray** for tools and small materials.
- ◆ Wide steps with **anti-slip surface** and with plastic covers.
- ◆ Available in 3 colors: Magenta, yellow and red.
- ◆ PRO series ladder - Load capacity **330 pounds**. Heavy duty **Type IA**.
- ◆ **1 Year** manufacturer warranty.

Available Colors



Yellow



Magenta



Red



AVAILABLE MODELS

Model	4	5
Length	4'9"	5'6"
Reach	9'	9'8"
Weight	9 lbs	11.5 lbs

CAROSTEP HOUSEHOLD STEPLADDER



RESIDENTIAL GRADE ALUMINUM LADDER

- ◆ Intended for **household** use. Best tool to house works.
- ◆ Wide **8"x14"** platform to provide stability of standing in model 2, 3, 4.
- ◆ Top Step **6"x14"** in models 5, 6, 7, 8.
- ◆ Wide steps with **anti-slip surface** and with plastic covers.
- ◆ PRO series ladder - Load capacity **330 pounds**. Heavy duty **Type IA**.
- ◆ **Additional straps** to prevent spreading in models 3, 4, 5, 6, 7, 8.
- ◆ **1 Year** manufacturer warranty.

AVAILABLE MODELS

Model	2	3	4	5	6	7	8
Length	1'2"	2'	2'10"	3'7"	4'4"	5'1"	5'10"
Reach	7'9"	8'6"	9'2"	9'10"	10'7"	11'3"	12'
Weight	4 lbs	6 lbs	7 lbs	10 lbs	11 lbs	13 lbs	15 lbs

KITCHEN

HOUSEHOLD STEP STOOL LADDER

RESIDENTIAL GRADE STEEL LADDER

- ◆ Intended for **household** use. The best kitchen helper.
- ◆ Special profiled **safety rail** for your comfort.
- ◆ Wide steps **14"x6"** with anti-slip surface.
- ◆ Easy to store.
- ◆ Special plastic feet to prevent slipping.
- ◆ PRO series ladder - Load capacity **330 pounds**. Heavy duty **Type IA**.
- ◆ **1 Year** manufacturer warranty.



AVAILABLE MODELS

Model	2	3
Length	3'9"	4'7"
Reach	8'	8'9"
Weight	11 lbs	16 lbs

PICAPAIN HOUSEHOLD STEPLADDER



RESIDENTIAL GRADE ALUMINUM LADDER

- ◆ Intended for **household** use. Best tool to house works and small renovations.
- ◆ Sturdy aluminum **double side** construction.
- ◆ Steel **hook** for small bucket or can of paint.
- ◆ Wider 3rd step to provide extra support.
- ◆ PRO series ladder - Load capacity **330 pounds**. Heavy duty **Type IA**.
- ◆ **Additional straps** to prevent too big spread in models 3, 4, 5, 6, 7, 8.
- ◆ **1 Year** manufacturer warranty.


AVAILABLE MODELS

Model	3	4	5	6	7
Length	3'4"	4'3"	5'3"	6'3"	7'3"
Reach	7'5"	8'5"	9'4"	10'4"	11'2"
Weight	8 lbs	10 lbs	13 lbs	15 lbs	18 lbs

ANI GARDEN TRIPOD LADDER

RESIDENTIAL GRADE ALUMINUM LADDER

- ◆ Intended for **outdoor** use. Best tool in orchards and gardens.
- ◆ Special support rail ended with **Steel spike** to provide stability in loose ground.
- ◆ Narrowing side rails to make work in narrow spaces easy.
- ◆ Welded and grooved steps.
- ◆ Special plastic feet to prevent slipping.
- ◆ PRO series ladder - Load capacity **330 pounds**. Heavy duty **Type IA**.
- ◆ **1 Year** manufacturer warranty.



AVAILABLE MODELS

Model	7	8	9	10	11	12
Length	6'	6'11"	7'10"	8'7"	9'6"	10'5"
Reach	10'3"	11'1"	11'11"	12'10"	13'8"	14'7"
Weight	10 lbs	12 lbs	13lbs	15 lbs	16lbs	18lbs

VIKI


PROFESSIONAL LADDER SCAFFOLD



COMMERCIAL GRADE ALUMINUM LADDER SCAFFOLD

- ◆ **Professional ladder scaffolding** is a tool that specialist are looking for.
- ◆ Wide platform 53"x20".
- ◆ Hooks for wall attachment and additional support.
- ◆ Wheels to easily move the scaffolding.
- ◆ Combination system can be used as a stepladder or as a leaning ladder.
- ◆ PRO series ladder - Load capacity **440 pounds**. Heavy duty **Type IAA**.
- ◆ **1 Year** manufacturer warranty.

AVAILABLE COMBINATIONS



AVAILABLE MODELS

Model	PRO	BASIC
Length	12'9"	12'9"
Reach*	15'6"	13'1"
Weight	97 lbs	90 lbs


LEO PRO

HOUSEHOLD LADDER SCAFFOLD

RESIDENTIAL GRADE ALUMINUM LADDER SCAFFOLD

- ◆ **Household ladder scaffolding** is a tool that is perfect for work around house.
- ◆ Ladders are equipped with a **stabilizer**.
- ◆ Work platform on **3'2" level** with reach height of **9'8"**.
- ◆ Combination ladders have automatic locks and robust hooks.
- ◆ Ladder can be used as a stepladder, scaffold or combination ladder.
- ◆ PRO series ladder - Load capacity **330 pounds**. Heavy duty **Type IA**.
- ◆ **1 Year** manufacturer warranty.

AVAILABLE COMBINATIONS



AVAILABLE MODELS

Model	6	7	8
Length	8'9"	10'5"	12'2"
Reach*	12'	13'8"	15'5"
Weight	25 lbs	27 lbs	29 lbs

ATTIC LADDERS ACCESSORIES

Hatch Balustrade

To prevent falling through floor opening.

Available sizes:

47" x 27.5"

55" x 33.5"



Masking Batten

Perfect Casing for Attic ladder.

Available sizes:

47" x 27.5"



Mounting System

4 x Clamp to easily drop down box on desired height.



Wooden Ladder Feet

Floor protecting foot-caps for Wooden ladder.



Additional Step

Additional Step mounted on box for higher comfort of use.



Additional Scissor Step

Additional Step to expand scissor ladder up to 10'2".



Additional Handle

To provide more support when climbing up.

Available sizes:

18"

22"



Wooden Rod

Wooden rod to open and close your ladder.



Plastic Lock For Hatch

Replacement lock to your attic ladder.



Replace Parts

For other replacement parts like:

- Hinges
- Arms
- Springs
- Replacement Ladders

Please contact our Sales department.

ALUMINUM LADDERS ACCESSORIES

Wall Aluminum Holder

2 x Aluminum holders to mount on wall.
Holds up to 175 lbs.



Car Roof Rack Ladder Clamp

Kit to secure ladder on car roof rack.



Caster Wheels

Wheels to help set up ladder.
For all professional ladders.



Plastic Tool Tray

Functional tool tray with bucket hook.
Holds up to 25 lbs.
For all household platform ladders.



Plastic Hook

For buckets and paint cans.
Holds up to 25 lbs.
For all household platform ladders.



Ladder Stabilizer

Stabilize the ladder.
Available for all professional ladders.



Steel Platform

Platform to provide more foot space, and work comfort.
For all professional ladders.



Steel Point

For garden ladder.
Help stabilize ladder in loose ground.



Bumper Spacer Holder

To provide space between wall and ladder.
For professional ladders.



Footcaps

Covers ladder rails to prevent floor scratches.



Scaffolding Wheels

For all ladder scaffolds.
Helps in moving around assembled scaffold.



Locking on Stairs System

Allow to set up ladder on stairs.
Only for model Flexi.





info@stairluxe.com
(630) 686-5544

STAIRLUXE LLC
1300 Jarvis Ave
Elk Grove Village,
IL 60007 USA

The warranty card and instruction manual are included with the product. This catalog is for illustrative purposes only and does not contain current prices or product availability. The photographs in the catalog are for reference only. We reserve the right to make printing errors. The catalog does not constitute an offer within the meaning of the law and is published for information purposes only.



www.stairluxe.com